	L #	Hits	Search Text	DBs
1	L1	8	("6526581" "6496862" "5544164"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	1001	725/74.ccls. 725/78-82.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	103	interface") WITH ((IP WWW internet network HTTP addressable) NEAR2 (address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	46	AND ((@ad <= "20001227") or (@rlad <= "20001227")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	156	725/111.ccls. AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	737	NIM "network interface") WITH ((IP WWW internet network HTTP addressable) NEAR2 (address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	634	6 NOT 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	273	7 AND ((@ad <= "20001227") or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
9	L9	43	(3 or 8) AND (BPF or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	455986	consumer) NEAR2 (box terminal receiver decoder device means	USPAT; USOCR; EPO; JPO;
11	L11	3164	internet network HTTP addressable) NEAR2 (address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	1034		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13		internet network HTTP addressable) NEAR2 (address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	557	13 AND ((@ad <= "20001227") or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L15	1	11 SAME (BPF or "bandpass" or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L16	121	l"hand hadd")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
17	L17	50	1. 16 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L18	2056	addressable) NEAR2 (address	
19	L19	3386	addressable) NEAR2 (address	
20	L20	131	19 AND (BPF or "bandpass" or "band pass")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	53	20 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22	3	21 NOT 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L23	200	19 AND (splitter seperator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	L24	114	23 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

2	L #	Hits	Search Text	DBs
25	L32	150634	(gateway NIM "network interface" hub) WITH (IP WWW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L33	86814	(gateway NIM "network interface" hub) NEAR5 (IP WWW internet network HTTP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L34	1853	"725"/\$.ccls. AND 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L35	822	34 AND ((@ad <= "20001227") or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L36	265	33 SAME (splitter seperator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	L37	136	36 AND ((@ad <= "20001227") or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L38	30	("5642155").URPN.	USPAT
32	L39	5	("5905941").URPN.	USPAT
33	L40	22	("6112232").URPN.	USPAT

	L #	Hits	Search Text	DBs
34	L41	15	("5347304" "5410535" "5412352" "5481562" "5488412" "5499046" "5563908" "5577087" "5592540" "5642155" "5675732" "5719872" "5805636" "5825829" "5896414").PN.	US-PGPUB; USPAT; USOCR
35	L42	184	("5488412").URPN.	USPAT
36	L43	17	("6481013").URPN.	USPAT
37	L44	52	("3668307" "3673517" "4367548" "4394691" "4420841" "4509211" "4606072" "4677686" "4710917" "4907079" "5027426" "5216499" "5227780" "5255267" "5343240" "5384603" "5410720" "5440335" "5467384" "5485630" "5499047" "5512963" "5539880" "5583931" "5585837" "5592482" "5623542" "5642155" "5663682" "5675390" "5722041" "5760822" "5805806" "5886732" "6014386").PN. OR ("6481013").URPN.	US-PGPUB; USPAT; USOCR

	1	. [
	L #	Hits	s	earch Text			DBs
-	-		("3668307"	"3673517"	<u> </u>		
			"4367548"	"4394691"	'		
ļ			"4420841"	"4509211"	İ		
			"4606072"	"4677686"	İ		
			"4710917"	"4907079"	İ		
	}		"5027426"	"5216499"	İ		
			"5227780"	"5255267"	Ì		
			"5343240"	"5384603"			
38		2 =	"5410720"	"5440335"			US-PGPUB;
30	L45	35	"5467384"	"5485630"			USPAT; USOCR
)	,		"5499047"	"5512963"			
			"5539880"	"5583931"			
			"5585837"	"5592482"			
			"5623542"	"5642155"			
			"5663682"	"5675390"			
			"5722041"	"5760822"			
			"5805806"	"5886732"			•
			"6014386").	PN.			
39	L46	9	("6567981")	IIDDN			USPAT
	П40		(0307981)	.ORFN.			OBIAI
			("5130793"	"5528283"			
			"5528286"	"5566232"			
			"5574964"	"5612730"			
			"5613190"	"5621455"			US-PGPUB;
40	上47	18	"5633614"	"5638426"			USPAT; USOCR
			"5642155"	"5673205"			OSPAI, OSOCK
			"5903372"	"5905942"			
			"5936660"	"5970386"			
			"6088368"	"6188397")	.PN.		
			("4893326"	"4935924"			
	:		"5408259"	"5485630"	1		.v.
			"5491508"	"5534914"			
			"5539880"	"5553064"			
41	L48	24	"5579308"	"5642155"	[US-PGPUB;
	٥٠	24	"5760822"	"5787335"	[USPAT; USOCR
			"5826167"	"5937330"	[
			"5940387"	"6006066"			
			"RE34395"	"RE34895")	.PN.	OR	
<u> </u>			("6622304")	.URPN.			

	L #	Hits	Search Text			DBs
			("4677467" "5488412"	"5301186" "5499047"		
	L49		"5642155" "5805591"	"5742607" "5864747"		
		9 26	"5923361" "5959658"	"5935209" "6028860"		
42			"6065049"	"6088785"		US-PGPUB; USPAT; USOCR
			"6151559" "6216171"	"6178161" "6313851"		
	:		"6389029" "6421714"	"6418149" "6477179"		
			"6481013" "6581208"	"6526581" "6848116").	PN.	